

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L2	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L3	751	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L4	1122	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L5	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L6	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L7	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L8	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L9	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L10	19148	L5 or L6 or L7 or L8 or L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L11	92	L4 and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L12	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/20 22:20
L13	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L14	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L15	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L16	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L17	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L18	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L19	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L20	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L21	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L22	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L23	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L24	10052	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L25	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L26	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L27	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L28	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L29	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L30	19148	L25 or L26 or L27 or L28 or L29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L31	416	L24 and L30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L32	183	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L33	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L34	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L35	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L36	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L37	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L38	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L39	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L40	1068	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L41	260972	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L42	297	L40 and L41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L43	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L44	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L45	11755	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L46	7348	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L47	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L48	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L49	100705	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L50	1902	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L51	177178	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L52	531	L50 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L53	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L54	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L55	751	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L56	1122	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L57	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L58	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L59	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L60	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L61	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L62	19148	L57 or L58 or L59 or L60 or L61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L63	92	L56 and L62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L64	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/20 22:20
L65	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L66	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L67	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L68	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L69	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L70	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L71	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L72	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L73	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L74	19	virus near2 propogation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L75	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L76	10052	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L77	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L78	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L79	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L80	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L81	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L82	19148	L77 or L78 or L79 or L80 or L81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L83	416	L76 and L82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L84	183	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L85	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L86	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L87	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L88	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L89	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L90	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L91	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L92	1068	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L93	260972	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L94	297	L92 and L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L95	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L96	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L97	11755	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L98	7348	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L99	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L100	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L101	100705	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L102	1902	(monitor\$4 or screen\$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L103	177178	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L104	531	L102 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L105	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L106	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L107	751	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L108	1122	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L109	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L110	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L111	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L112	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L113	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L114	19148	L109 or L110 or L111 or L112 or L113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L115	92	L108 and L114	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L116	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/20 22:20
L117	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L118	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L119	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L120	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L121	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L122	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L123	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L124	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L125	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L126	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L127	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L128	10052	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L129	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L130	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L131	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L132	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L133	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L134	19148	L129 or L130 or L131 or L132 or L133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L135	416	L128 and L134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L136	183	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L137	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L138	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L139	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L140	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L141	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L142	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L143	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L144	1068	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L145	260972	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L146	297	L144 and L145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L147	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L148	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L149	11755	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L150	7348	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L151	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L152	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L153	100705	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L154	1902	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L155	177178	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L156	531	L154 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L157	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L158	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L159	751	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L160	1122	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L161	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L162	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L163	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L164	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L165	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L166	19148	L161 or L162 or L163 or L164 or L165	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L167	92	L160 and L166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L168	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/20 22:20
L169	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L170	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L171	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L172	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L173	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L174	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L175	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L176	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L177	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L178	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L179	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L180	10052	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L181	894	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L182	8252	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L183	8478	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L184	3738	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L185	803	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L186	19148	L181 or L182 or L183 or L184 or L185	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L187	416	L180 and L186	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L188	183	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L189	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L190	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L191	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L192	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L193	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L194	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L195	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L196	1068	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L197	260972	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L198	297	L196 and L197	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L199	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L200	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L201	11755	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L202	7348	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20

L203	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L204	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L205	100705	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L206	1902	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L207	177178	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L208	531	L206 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:20
L209	61525	(record or table or database) with (destination or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:28
L210	44	188 and 209	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/20 22:28

S1	5520	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/06 11:07
S2	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/06 11:08
S3	556	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:49
S4	823	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:53
S5	764	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:53
S7	5574	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S8	5854	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S9	2691	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56

S10	643	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:56
S11	13552	S5 or S7 or S8 or S9 or S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 14:57
S12	67	S4 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/22 16:32
S13	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2007/02/23 11:18
S14	12	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 11:20
S15	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:21
S16	24	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:36
S17	8	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:43
S18	3	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:44
S19	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 14:52

S20	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:35
S21	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:37
S22	3	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:39
S23	17	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:41
S24	7	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/23 15:41
S25	7847	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S26	764	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S27	5574	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S28	5854	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S29	2691	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25

S30	643	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S31	13552	S26 or S27 or S28 or S29 or S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:25
S32	314	S25 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:46
S33	149	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:48
S34	1	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:50
S35	19	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:50
S36	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:55
S37	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57
S38	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57
S39	12	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:57

S40	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:58
S41	840	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 07:59
S42	204322	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 08:01
S43	230	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/26 08:01
S44	174	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:01
S45	34	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:10
S46	10321	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:11
S47	6458	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 08:11
S49	12	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/27 09:31

S50	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:44
S51	84316	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:48
S52	1765	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:49
S53	151808	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:48
S54	475	S52 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/12 11:52
S55	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S56	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S57	673	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or cloging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S58	1003	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S59	832	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S60	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S61	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S62	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S63	723	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S64	16860	S59 or S60 or S61 or S62 or S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S65	83	S58 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S66	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2008/04/14 09:40

S67	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S68	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S69	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S70	8	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S71	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S72	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S73	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S74	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S75	4	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S76	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S77	14	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S78	9105	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S79	832	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S80	7227	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S81	7301	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S82	3305	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S83	723	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S84	16860	S79 or S80 or S81 or S82 or S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S85	365	S78 and S84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S86	168	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S87	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S88	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S89	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S90	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S91	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S92	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S93	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S94	990	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S95	236692	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S96	271	S94 and S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S97	186	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S98	34	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S99	11188	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S100	6971	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S101	15	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S102	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S103	90358	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S104	1817	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40

S105	161060	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S106	496	S104 and ((compar\$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/04/14 09:40
S107	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S108	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S109	749	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S110	1114	(prevent\$3 or stop\$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S111	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S112	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S113	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S114	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S115	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S116	19012	S111 or S112 or S113 or S114 or S115	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S117	91	S110 and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S118	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/05 07:48
S119	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S120	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S121	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S122	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S123	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S124	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S125	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S126	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propogated\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S127	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S128	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S129	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S130	10001	queue near3 (revolv \$3 or management or record or compar \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S131	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S132	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S133	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S134	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S135	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S136	19012	S131 or S132 or S133 or S134 or S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S137	413	S130 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S138	182	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S139	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S140	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S141	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S142	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S143	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S144	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S145	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S146	1062	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S147	259683	"709".clas. or "455". clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S148	293	S146 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S149	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S150	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S151	11723	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S152	7329	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S153	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S154	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S155	100163	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S156	1901	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S157	176363	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S158	530	S156 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S159	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S160	6	("5699513" "6044402" "6256671").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S161	749	(prevent or stop or alleviate or deter or avert or avoid) (network or system or traffic or packet) (overload or traffic or congestion or clogging or blocking)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S162	1114	(prevent\$3 or stop \$4 or alleviat\$4 or deter\$3 or avert\$3 or avoid\$3) (network or system or traffic or packet) (overload\$3 or traffic or congest\$3 or clog\$3 or block \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S163	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S164	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S165	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S166	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S167	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S168	19012	S163 or S164 or S165 or S166 or S167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S169	91	S162 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S170	1	("7058974").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/05 07:48
S171	14	"1280298"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S172	2	"9833333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S173	3	"0186895"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S174	9	"2362076"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S175	2	"0986229"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S176	0	"0986229A2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S177	13	"2315967"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S178	0	(slow\$4 or impeded\$3 or stop\$3) near3 (virus or worm or trojan) near3 propagat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S179	6	Behavior blocking software	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S180	19	virus near2 propagation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S181	20	Entercept	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S182	10001	queue near3 (revolv\$3 or management or record or compar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S183	890	713/502.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S184	8182	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S185	8405	709/224.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S186	3716	709/225.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S187	799	709/235.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S188	19012	S183 or S184 or S185 or S186 or S187	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S189	413	S182 and S188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S190	182	(compare) same (list or record or queue) same (host or destination) same (previous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S191	0	(destination host) near5 compare near5 request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S192	2	"0309858"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S193	1	"0309858.9"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S194	0	destination host near5 compare near5 (queue or record or list)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S195	0	(destination host) near5 compare near5 previous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S196	16	compare network data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S197	0	destination host near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S198	1062	(host or resource or request) near5 compare near5 (queue or record or list or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S199	259683	"709".clas. or "455".clas. or "713".clas. or "726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S200	293	S198 and S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S201	198	(successive or consecutive or adjacent) with (empty) near3 (buffer or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S202	35	((successive or consecutive or adjacent) with (empty) near3 (buffer or queue)) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S203	11723	(time near3 period or interval) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S204	7329	(time near3 (period or interval)) same (buffer or queue) same (count\$3 or decrement\$3 or increment\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S205	19	designated IP address near3 stor \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S206	1	10/687694	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

S207	100163	(record or list or queue or buffer) same (destination or recipient or reciever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S208	1901	(monitor\$4 or screen \$4 or record\$4 or scan\$4) same (record or list or queue or buffer) same (time interval) same (destination or receiver or recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S209	176363	(record or list or queue or buffer) same (destination or recipient or receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48
S210	530	S208 and ((compar \$5 or match\$4 or correspond\$5) same (buffer or record or list or queue) same (request\$4 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/01/05 07:48

1/ 20/ 2009 10:56:24 PM

C:\Documents and Settings\rmorán\My Documents\EAST\Workspaces\10687694.wsp